




protools

INDUSTRIAL



Mining Jacks


Air hydraulic jacks



PTJM6022








PTJM8031

PTJM8042



- 1 - A02432 Extension 150mm
- 2 - A02434 Extension 250mm
- 3 - A02436 Extension 300mm
- 4 - A02392 Safety Lock Holder
- 5 - A00835 Safety blocks H100 M/F 177mm
- 6 - A00837 Safety blocks H100 F/F 177mm
- 7 - A00839 Safety blocks H50 M/F 177mm
- 8 - A02399 Extension Holder R
- 9 - A02400 Extension Holder L

- 1 - A02432 Extension 150mm
- 2 - A02434 Extension 250mm
- 3 - A02436 Extension 300mm
- 4 - A00884 Safety block holder
- 5 - A00835 Safety blocks H100 M/F 177mm
- 6 - A00837 Safety blocks H100 F/F 177mm
- 7 - A00839 Safety blocks H50 M/F 177mm
- 8 - A02399 Extension Holder R
- 9 - A02400 Extension Holder L

							
PTJM6022	60/30 t	2	220 mm	447 mm	8-12 bar	94 Kg	600 nl/min
PTJM8031	80/50/25 t	3	341 mm	859 mm	8-12 bar	138 Kg	600 nl/min
PTJM8042	80/50 t	2	420 mm	838 mm	8-12 bar	145 Kg	600 nl/min
PTJM10072	100 t	1	725 mm	1170 mm	8-12 bar	324 Kg	600 nl/min
PTJM15090	150 t	1	901 mm	1455 mm	8-12 bar	389 Kg	600 nl/min

Mining Jacks

Air hydraulic jacks



- ① - A02421 Extension 200mm
- ② - A02422 Extension 250mm
- ③ - A02423 Extension 300mm
- ④ - A00884 Safety block holder
- ⑤ - A00835 Safety blocks H100 M/F 177mm
- ⑥ - A00837 Safety blocks H100 F/F 177mm
- ⑦ - A00839 Safety blocks H50 M/F 177mm
- ⑧ - A02397 Extension Holder R
- ⑨ - A02398 Extension Holder L

- ① - A02421 Extension 200mm
- ② - A02422 Extension 250mm
- ③ - A02423 Extension 300mm
- ④ - A00886 Safety block holder
- ⑤ - A00841 Safety blocks H100 M/F 177mm
- ⑥ - A00843 Safety blocks H100 F/F 177mm
- ⑦ - A00845 Safety blocks H50 M/F 177mm
- ⑧ - A02397 Extension Holder R
- ⑨ - A02398 Extension Holder L

	Remote control	Loading Block System	Safety Block Holder	Right Extension Holder	Left Extension Holder	Safety Block H100 (M-F)	Safety Block H100 (F-F)	Safety Block H50 (M-F)	Extension 10mm	Extension 70mm	Extension 120mm	Extension 150mm	Extension 200mm	Extension 250mm	Extension 300mm
PTJM6022	A00452								A02354	A02410	A02406				
PTJM8031	A00452	A00790	A00884	A02399	A02400	A00835	A00837	A00839				A02432		A02434	A02436
PTJM8042	A00452	A00790	A00884	A02399	A02400	A00835	A00837	A00839				A02432		A02434	A02436
PTJM10072		A00788	A00884	A02397	A02398	A00835	A00837	A00839					A02421	A02422	A02423
PTJM15090		A00789	A00886	A02397	A02398	A00841	A00843	A00845					A02421	A02422	A02423

PROTOOLS HIGH QUALITY GROUND PROTECTION, STACK PADS, STABILITY SOLUTION



GROUND PROTECTION

How does it work?

Protools outrigger pads are strong, rigid and easy equipment made of engineered thermoplastic material. These pads spread the weight over a larger surface offering better support while also protecting the surface.

Protools pads are:

Ecological, Easy to handle, Flexible, Water repellent
Nearly unbreakable, Anti-rust and anti-rot.



PROTOOLS STACK PADS

How does it work?

Protools stack pads are often used in combination with a larger outriggerpad on which those stack pads are piled up. Stack different pads in order to meet the requested height and enjoy the 2-sided antigrip finishing technology.



PROTOOLS STABILITY SOLUTION

How does it work?

Protools stability solutions are engineered to crib, block or stabilize the equipment, or vehicles. Our stability solutions are designed as a system of interlocking blocks. These blocks are composed of 2 sides with notches and 2 sides with a pyramid surface. This system allows you to crib any vehicle or tool with no worry about safety and stability.

Protools stability solution are:

Lightweight and easy to handle, Oil / Chemicals resistant, Skidproof



AIR LIFTING BAGS

How does it work?

High-pressure lifting bags are used for lifting the heaviest loads. They exert maximum force in a concentrated area, making them ideal when lifting rigid structures in tight places.

Their unique structure also allows use in load shifting, heavy truck or aircraft recovery and different moving situations. Our range starts from 3ton up to 100ton

